

52MC

TECHNICAL SPECIFICATIONS




Life. Style. Sailing.

| 42CS | 45CS | 50CS | 57CS | 62CS | 67CS | 72CS | | 52MC |

Synthesising over half a century of experience with the very latest technologies, Contest Yachts builds highly sophisticated vacuum infused composite sailing yachts for owners who appreciate only the best. Premium Dutch quality, high-end interiors and superior handling are the hallmarks of each and every Contest. The family-owned yard builds its Lloyds-approved performance cruisers entirely in-house.


Contest
YACHTS

52MC



1

INTERIOR LAYOUT

A



B



INTERIOR LAYOUT

C



D



E



F



G



2

MAIN DIMENSIONS

▶ Length overall	15.93 m	52.26 ft
▶ Length waterline	14.60 m	47.9 ft
▶ Maximum beam	4.60 m	15.09 ft
▶ Draft	0.85 m	2.79 ft
▶ Displacement (standard version)	16,600 kg	36,596 lbs
▶ Fuel tank	1,800 ltr	395.95 imp. gal.
▶ Water tank	400 ltr	89 imp. gal.
▶ Optional watertank	300 ltr	66 imp. gal.
▶ Engines, Cummins	2 x 225 kW	2 x 305 hp

Maximum height above waterline:

▶ 52MC	2.88 m	9.45 ft
▶ 52MC Semi-Flybridge	3.45 m	11.32 ft
▶ 52MC Flybridge	3.74 m	12.27 ft

3

CONSTRUCTION

3.1 GENERAL

Hull and deck are made of high quality materials. Several interior arrangements are available within the structural bulkheads and keel grid.

3.2 HULL

- ▶ Hull in sandwich, vacuum infused composite with the Conyplex vacuum infusion system®.
- ▶ Laminate consisting of quadrax and biaxial E-glass for inner and outer skins, infused with vinylester resin.
- ▶ Local unidirectional E-glass reinforcements.
- ▶ Solid laminate in structural areas like the engine and shaft area.
- ▶ First layer after gelcoat is a special barrier coat.
- ▶ Structural bulkheads fully laminated to hull and deck.
- ▶ Teak toe rail capping, integrated rubbing strake.
- ▶ Two year warranty.
- ▶ Hull: gelcoat white.
- ▶ Stripe and waterlines: colour owners choice.
- ▶ Antifoul: 2 layers.
- ▶ Flush hull windows.

3.3 DECK

- ▶ Deck in sandwich, vacuum infused composite with the Conyplex vacuum infusion system®.
- ▶ Deck: gelcoat white.
- ▶ Laminate consisting of quadraxial and biaxial E-glass for inner and outer skins.
- ▶ Local unidirectional E-glass reinforcements.
- ▶ Solid laminate in structural areas where deck equipment is fitted.

3.4 BULKHEADS

- ▶ Vacuum infused composite structural bulkheads in sandwich, using the Conyplex vacuum infusion system®.
- ▶ Vacuum infused composite several longitudinals in sandwich, using the Conyplex vacuum infusion system®.

3.5 RUDDER

- ▶ Stainless steel rudder.
- ▶ Stainless steel rudder axe.

4

DECK LAYOUT

4.1 COCKPIT

- ▶ Large aft cockpit.
- ▶ Garage below the cockpit floor. Reachable from the cockpit and transom.

4.2 HATCHES AND WINDOWS

- ▶ Flush deck hatch.
- ▶ Port lights.
- ▶ Glass chemical hardened, laminated windows in superstructure.
- ▶ Screen wipers on windows in superstructure.

4.3 DECK HARDWARE AND EQUIPMENT

- ▶ Stainless steel 316 stem head fitting.
- ▶ Stainless steel 316 bathing ladder.
- ▶ Stainless steel 316 deck fillers.
- ▶ Stainless steel 316 anti chafe rails below mooring cleats.
- ▶ Stainless steel 316 mooring cleats; two cleats forward, two cleats amidships, two cleats aft and two fairleads on stern.
- ▶ Flagpole with stainless steel 316 support.
- ▶ Teak cockpit table with stainless steel 316 support and canvas cover.
- ▶ Boat hook in aluminium.
- ▶ Six fenders with socks and ropes.
- ▶ Six 25 m 18 mm mooring warps.

4.4 ANCHOR SYSTEM

- ▶ Electric anchor winch, including remote control.
- ▶ 20 kg Delta anchor with 50 m galvanised 10 mm anchor chain.
- ▶ Anchor chain marked each 10 m.

4.5 STEERING SYSTEM

- ▶ Hydraulic dual cylinder power steering system.
- ▶ Compass.

5

INTERIOR

5.1 GENERAL

As with all Contest Yachts, the interior will be fully made at our own yard in Medemblik with great attendance to flexibility and detailing.

5.2 STANDARD FEATURES

- ▶ Light teak joinery.
- ▶ Oak floor.
- ▶ Matt varnished.
- ▶ White painted teak and matt varnished teak side panelling.
- ▶ Padded panels in fore cabin.
- ▶ Rollo's at all hatches.
- ▶ Chrome fittings throughout.
- ▶ Shower stalls with on handle mixer valves.
- ▶ Teak doors 30 mm with anti-rattle door locks.
- ▶ CORIAN colour "Linen" worktops in galley with 2 moulded CORIAN washbasins.
- ▶ CORIAN colour "Linen" tops in each head with moulded CORIAN washbasins.
- ▶ Design taps.
- ▶ Two zone ceramic hob.
- ▶ Quality upholstery, colour to owners' choice.
- ▶ Quality curtains for portholes and skylight hatches.
- ▶ Overhead lights in all cabins with wall switches.
- ▶ 230V sockets.
- ▶ Dimmers on overhead lights in saloon.
- ▶ Careful noise reduction throughout.
- ▶ Engine room well insulated.
- ▶ Mattresses in all cabins.
- ▶ Garbage bin.
- ▶ Extensive mirrors in both heads.
- ▶ Sliding door to aft cockpit.

6

SYSTEMS & EQUIPMENT

6.1 ENGINE

- ▶ 2 x Cummins QSB6.7 305HP.
- ▶ Indirect cooling.
- ▶ Hurtz ZF 85A hydraulic gearbox.
- ▶ 2x24V/80A (starter battery, service batteries and bow thruster batteries).
- ▶ Engine panel fitted in dashboard including rev. counter, oil pressure- temperature- and charge alarm, start and stop buttons.
- ▶ Water-cooled exhaust.
- ▶ Stainless steel propeller shafts with thrust bearing and homokinetic coupling.
- ▶ Fixed propellers.
- ▶ Engine room insulated with combined drone- and sound absorbing insulation.
- ▶ Engine room ventilation by electric ventilator.
- ▶ Air intakes/ ventilation grills on the deck for engine compartment cooling.

6.2 ADDITIONAL PROPULSION SYSTEMS

- ▶ Electric bow thruster.
- ▶ Trim tabs.

6.3 FUEL SYSTEM

- ▶ Fuel tanks total capacity 1.800 litres
- ▶ SEPAR water separators and fuel filters. Acoustic and visual "water in fuel"-alarm.
- ▶ Electric tank level gauge.

6.4 FRESH WATER SYSTEM

- ▶ Pressurized hot & cold water system; tank capacity 400/700 litres.
- ▶ Mixer taps in galley and showers.
- ▶ Transom shower.
- ▶ Boiler stainless steel 316 1 x 40 litres with double exchanger to engine and heater (optional) and 230V element.
- ▶ Electric tank level gauge.

6.5 BILGE SYSTEM

- ▶ Electric bilge pump in sump, with automatic switch and manual backup.
- ▶ Electric bilge pump in engine room with manual backup.
- ▶ Electric bilge pump in storage room with automatic switch and manual backup.
- ▶ Electric bilge pump in forward cabin with manual backup.

6.6 BLACK & GREY WATER SYSTEM

- ▶ Two electric fresh water toilets.
- ▶ Waste water tank.
- ▶ Indicator on black water tank.
- ▶ Two shower stalls with automatic drain.
- ▶ Grey water system with collection tank and automatic discharge.

6.7 REFRIGERATION SYSTEM

- ▶ Refridgerator.

6.8 SAFETY EQUIPMENT

- ▶ Three foam fire extinguishers 2 kg.
- ▶ Fire blanket.
- ▶ Fire extinguish system in engine room.

7

ELECTRICAL SYSTEMS

7.1 AC/DC SYSTEMS

- ▶ 24V and 230V system on board.
- ▶ Dedicated technical area for switches and fuses.
- ▶ 4 x 50Ah starter batteries; total capacity 2 x 100Ah @ 24VDC. Power batteries foreship 400 Ah
- ▶ Power batteries aftship 90 Ah
- ▶ 2 x starter battery chargers.
- ▶ 2 x power battery chargers.
- ▶ Charger 120 Ah, inverter 2500W.
- ▶ Inverters 24V-12V.
- ▶ 230V shore power connection, including cable 25 m with CE connector.
- ▶ Shore power isolator 24V 12A and earth trip switch.
- ▶ 10 x 230VAC sockets.
- ▶ All seacocks under the waterline are grounded.

7.2 MAIN SWITCHBOARD

- ▶ 10.4" touch screen system monitoring.
- ▶ All main switches situated at the touch screen.
- ▶ All navigation lights operated from the touch screen.
- ▶ Tank level gauges situated at the touch screen.
- ▶ Alarms on touch screen and secondary for:
 - Running bilge pump
 - Water in fuel
 - Battery level
 - Black water

7.3 NAVIGATION INSTRUMENTS

- ▶ Multifunction display.
- ▶ Speed and depth transducers.
- ▶ VHF Radio DSC class D.

OWNERS MANUAL

CERTIFICATION

- ▶ The boat is CE certificated category A (unlimited ocean voyages).

The information contained in this specification is subject to change without prior notification. Extra equipment may influence the standard specification. Specifications may be altered at any time without prior notice.

Contest Yachts, January 2015/01

52MC FLYBRIDGE



9

PRICE

BASE PRICE

on request

OPTIONS

HULL AND DECK

<input type="checkbox"/> Standard	std
<input type="checkbox"/> Semi-Flybridge	€ 46.785
<input type="checkbox"/> Flybridge including second steering position with dashboard	€ 98.258
<input type="checkbox"/> Open Sport	€ 43.760
<input type="checkbox"/> Hull painted including double waterline and striping	€ 25.432
<input type="checkbox"/> Teak side decks	€ 17.300
<input type="checkbox"/> Teak sundeck area	€ 4.200
<input type="checkbox"/> Teak deck Flybridge	€ 12.900
<input type="checkbox"/> Bathing platform 1380 mm in stead of 1070 mm	€ 2.650
<input type="checkbox"/> Underwater lights around ship 8 x	€ 10.990
<input type="checkbox"/> Underwater lights at stern LED 2 x	€ 3.750
<input type="checkbox"/> Name on stern	€ 280
<input type="checkbox"/>	

UPHOLSTERY AND INTERIOR

<input type="checkbox"/> Teak interior	tba
<input type="checkbox"/> Oak interior	std
<input type="checkbox"/> Cockpit cushions with backrest	€ 2.487
<input type="checkbox"/> Rollos whole ship	std
<input type="checkbox"/> Dimmer ceiling light saloon	std

MULTIMEDIA

<input type="checkbox"/> Radio CD player	std
<input type="checkbox"/> Marantz/Bose sound system - WiFi five speakers	€ 5.131
<input type="checkbox"/> Marantz/Bose sound system - ext. second zone	€ 1.385
<input type="checkbox"/> Marantz/Bose sound system - ext. speaker in cockpit ceiling	€ 1.155
<input type="checkbox"/> Television Samsung 28" LED salon	€ 2.830
<input type="checkbox"/> Television Samsung 32" owners cabin	€ 1.795

TECHNICAL ACCESSORIES

<input type="checkbox"/> 2 x 380 hp QBS6.7 6 cylinder turbo charged diesel engines	€ 26.750
<input type="checkbox"/> 2 x 480 hp QBS6.7 6 cylinder turbo charged diesel engines	€ 48.790
<input type="checkbox"/> 2 x 550 hp QBS6.7 6 cylinder turbo charged diesel engines	€ 84.690
<input type="checkbox"/> Bow thruster	std
<input type="checkbox"/> Upgrade bow thruster to 20 hp	€ 4.830
<input type="checkbox"/> Stern thruster synchronised with bow thruster one position	€ 9.200
<input type="checkbox"/> Trim tabs	std
<input type="checkbox"/> Deckwash pump	€ 1.425
<input type="checkbox"/> Shore connection drinking water	tba
<input type="checkbox"/> Seakeeper Gyrostabilizer	€ 89.180
<input type="checkbox"/> Foghorn air	€ 1.225

HOUSEKEEPING EQUIPMENT

<input type="checkbox"/> Refridgerator frontloader in galley	std
<input type="checkbox"/> Wash/dry combi machine	€ 2.532
<input type="checkbox"/> Fridge to Flybridge bar	tba
<input type="checkbox"/> Grill to Flybridge bar	tba

SANITARY/CLIMATE CONTROL

<input type="checkbox"/> Climate control: stand alone chiller	€ 20.719
<input type="checkbox"/> Climate control: expansion heater and boiler on chiller	€ 13.054

DECK ACCESSORIES

<input type="checkbox"/> Sliding roof, glass/no glass	€ 17.840
<input type="checkbox"/> Sliding door	€ 12.900
<input type="checkbox"/> Cockpit tent	€ 4.853

10

OPTIONS

DECK EQUIPMENT

<input type="checkbox"/> Semi automatic anchor system including 20 kg Delta	€ 4.800
<input type="checkbox"/> Search light remote controlled	€ 2.694
<input type="checkbox"/> Bathing platform hydraulic	€ 86.490

SAFETY AND RESCUE

<input type="checkbox"/> Fire extinguish system engineroom	std
--	-----

ENERGYPACK CONTEST

<input type="checkbox"/> Energypack heavy230V 50Hz	€ 24.779
<input type="checkbox"/> Generator, M-SQ 12, 50Hz in combination with:	
<input type="checkbox"/> Inverter upgrade from 2.5kW to 5kW	
<input type="checkbox"/> Power batteries upgrade to 130 Ah 24V (from 90 Ah AGM to 2 x 130 Ah AGM)	
<input type="checkbox"/> Service batteries upgrade to 200 Ah 24V (extra:: 2 x 200 Ah to total capacity 400 Ah 24V)	
<input type="checkbox"/> 2 x extra alternator 150Ah	
<input type="checkbox"/> 10 x 230V sockets	

OPTIONS ELECTRONICS

AUTOPILOT SIMRAD

<input type="checkbox"/> Autopilot Simrad	€ 5.670
<input type="checkbox"/> Autopilot control	€ 1.185
<input type="checkbox"/> Sensor pack	€ 2.087

CAMERA

<input type="checkbox"/> Camera outside	
---	--

ANTENNA

<input type="checkbox"/> AIS receiver True Heading	€ 1.596
<input type="checkbox"/> WiFi antenna	€ 2.096
<input type="checkbox"/> SAT TV trackvision M5 (mounted on pushpit)	€ 11.156

VHF

<input type="checkbox"/> VHF Simrad RS 87 1 station	€ 3.534
---	---------

RADAR/PLOTTER

<input type="checkbox"/> Radar plotter Simrad GB 15" Radar GPS	€ 18.249
<input type="checkbox"/> Radar plotter Simrad GB 15" for engine monitoring	€ 14.086

THE CONTEST RANGE

SAILING YACHTS



MAIN DIMENSIONS 42CS

Length overall	12.85 m	42.15 ft
Length waterline	11.76 m	38.63 ft
Maximum beam	4.15 m	13.61 ft
Displacement	11,000 kg	24,251 lbs



MAIN DIMENSIONS 45CS

Length overall	13.70 m	44.9 ft
Length waterline	11.64 m	38.19 ft
Maximum beam	4.10 m	13.3 ft
Displacement	13,500 kg	27,760 lbs



MAIN DIMENSIONS 50CS

Length overall	14.99 m	49.18 ft
Length waterline	13.13 m	43.08 ft
Maximum beam	4.58 m	15.03 ft
Displacement	17,500 kg	38,580 lbs



MAIN DIMENSIONS 57CS

Length overall	17.23 m	56.5 ft
Length waterline	15.55 m	51.0 ft
Maximum beam	5.12 m	16.8 ft
Displacement	11,000 kg	24,251 lbs



MAIN DIMENSIONS 62CS

Length overall	19.18 m	63.9 ft
Length waterline	16.80 m	55.1 ft
Maximum beam	5.45 m	17.9 ft
Displacement	31,000 kg	68,563 lbs



MAIN DIMENSIONS 67CS

Length overall	20.30 m	66.6 ft
Length waterline	18.50 m	60.7 ft
Maximum beam	5.65 m	18.5 ft
Displacement	39,500 kg	87,081 lbs



MAIN DIMENSIONS 72CS

Length overall	21.80 m	71.5 ft
Length waterline	18.99 m	62.3 ft
Maximum beam	5.70 m	18.7 ft
Displacement	44,300 kg	97,664 lbs

Life. Style. Sailing.

MOTOR YACHTS



MAIN DIMENSIONS 52MC

Length overall	15.93 m	52.26 ft
Length waterline	14.60 m	47.9 ft
Maximum beam	4.60 m	15.09 ft
Displacement	16,600 kg	36,596 lbs



MAIN DIMENSIONS 52MC FLYBRIDGE

Length overall	15.93 m	52.26 ft
Length waterline	14.60 m	47.9 ft
Maximum beam	4.60 m	15.09 ft
Displacement	18,500 kg	40,785 lbs



MAIN DIMENSIONS 52MC SEMI-FLYBRIDGE


Length overall	15.93 m	52.26 ft
Length waterline	14.60 m	47.9 ft
Maximum beam	4.60 m	15.09 ft
Displacement	16,600 kg	36,596 lbs



MAIN DIMENSIONS 52MC OPEN SPORT

Length overall	15.93 m	52.26 ft
Length waterline	14.60 m	47.9 ft
Maximum beam	4.60 m	15.09 ft

52MC OPEN SPORT



You will find Contest yachts riding at anchor or snug in harbour in every corner of the globe. Some were sailed to their idyll in the sun were by experienced sailors with tens of thousands of miles under their keels, while others were brought safely across oceans by owners new to the fulfillment and adventure of bluewater cruising.

What unites them is an appreciation for the care and expertise that go into a Contest to ensure that she is comfortable, reliable, enjoyable and secure, no matter whether exploring your local waters or pursuing the dream of a circumnavigation. We build our boats to bring out the sheer pleasure of being on the water. We invite you to share that pleasure, to share our passion.

Contest Yachts

Overleek 5

1671 GD Medemblik

The Netherlands

tel +31 (0)227 543 644

fax +31 (0)227 543 648

info@contestyachts.com

www.contestyachts.com

